

To Ponder

What is a language?

Regular Expressions

Computer Science and Engineering ■ College of Engineering ■ The Ohio State University

Lecture 6

Language

- Definition: a set of strings
- Examples
 - $\mathcal{L}_1 = \{ \text{"cat"}, \text{"dog"}, \text{"fish"} \}$
 - $\mathcal{L}_2 = \{ \alpha\beta \mid \alpha \text{ and } \beta \text{ are hex digits} \}$
 - $\mathcal{L}_3 = \{ \alpha_1\alpha_2\alpha_3 \dots \alpha_n \mid n > 0 \wedge (\forall_{i=1}^{n-1} \alpha_i = \alpha_{i+1}) \}$
- Activity: For each \mathcal{L} above, find
 - $|\mathcal{L}|$ (the cardinality of the set)
 - $\max_{\sigma \in \mathcal{L}} |\sigma|$

Programming Languages

- Q: Are C, Java, Ruby, Python, ... languages in this formal sense?

Programming Languages

- Q: Are C, Java, Ruby, Python, ... languages in this formal sense?
- A: Yes!
 - \mathcal{L}_{Ruby} is the set of well-formed Ruby programs
 - What the interpreter (compiler) accepts
 - The **syntax** of the language
- But what does *one* such string mean?
 - The **semantics** of the language
 - Not part of formal definition of “language”
 - But necessary to know to claim “I know Ruby”

Regular Expression (RE)

- *A formal* mechanism for defining a language
 - Precise, unambiguous, well-defined
- In math, a clear distinction between:
 - Characters in string (the “alphabet”)
 - Metacharacters used to write a RE
$$(a \cup b)^* a (a \cup b) (a \cup b) (a \cup b)$$
- In computer applications, there isn't
 - Is '*' a Kleene star or an asterisk?
$$(a|b)^* a (a|b) (a|b) (a|b)$$

Literals

- A *literal* represents a character from the alphabet
- Some are easy:
 - `f`, `i`, `s`, `h`, ...
- Whitespace is hard (invisible!)
 - `\t` is a tab (ascii 0x09)
 - `\n` is a newline (ascii 0x0A)
 - `\r` is a carriage return (ascii 0x0D)
- So the character `'\'` needs to be escaped!
 - `\\` is a `\` (ascii 0x5c)

Basic Operators

- () for grouping, | for choice
- Examples
 - `cat|dog|fish`
 - `(h|H)ello`
 - `R(uby|ails)`
 - `(G|g)r(a|e)y`
- These operators are meta-characters too
 - To represent the literal: `\(\) \|`
 - `\(61(3|4)\)`
- Activity: For each RE above, write out the corresponding language explicitly (ie, as a set of strings)

Character Class

- Set of possible characters
 - (0|1|2|3|4|5|6|7|8|9) is annoying!
- Syntax: []
 - Explicit list as [0123456789]
 - Range as [0-9]
- Negate with ^ at the beginning
 - [^A-Z] a character that is not a capital letter
- Activity: Write the language defined by
 - Gr[ae]y
 - 0[xX][0-9a-fA-F]
 - [Qq][^u]

Character Class Shorthands

- Common
 - `\d` for digit, ie `[0-9]`
 - `\s` for whitespace, ie `[\t\r\n]`
 - `\w` for word *character*, ie `[0-9a-zA-Z_]`
- And negations too
 - `\D`, `\S`, `\W` (ie `[^\d]`, `[^\s]`, `[^\w]`)
 - Warning: `[^\d\s] ≠ [\D\S]`
- POSIX standard (& Ruby) includes
 - `[[:alpha:]]` alphabetic character
 - `[[:lower:]]` lowercase alphabetic character
 - `[[:digit:]]` decimal digit (in any script)
 - `[[:xdigit:]]` hexadecimal digit
 - `[[:space:]]` whitespace including newlines

Wildcards

- A `.` matches any character (almost)
 - Includes space, tab, punctuation, etc
 - But does *not* include newline
- So add `.` to list of metacharacters
 - Use `\.` for a literal period
- Examples
 - `Gr.y`
 - `buckeye\.\d`
- Problem: What is RE for OSU email address for everyone named Smith?
 - Answer is *not*: `smith\.\d@osu.edu`

Repetition

- Applies to preceding thing (character, character class, or () group)
 - ? means 0 or 1 time
 - * means 0 or more times (unbounded)
 - + means 1 or more times (unbounded)
 - {*k*} means exactly *k* times
 - {*a*, *b*} means *k* times, for $a \leq k \leq b$
- More meta-characters to escape!
 - \? * \+ \{ \}

Examples

- ❑ `colou?r`
- ❑ `smith\.[1-9]\d*@osu\.edu`
- ❑ `0[xX](0|[1-9a-fA-F][0-9a-fA-F]*)`
- ❑ `.*\.jpe?g`

Your Turn

- (Language consisting of) strings that:
 - Contain only letters, numbers, and _
 - Start with a letter
 - Do not contain 2 consecutive _'s
 - Do not end with _
- Exemplars and counter-exemplars:
 - EOF, 4Temp, Test_Case3, _class,
a4_Sap_X, S__T_2
- Write the corresponding RE

Your Turn

- (Language consisting of) strings that:
 - Contain only letters, numbers, and _
 - Start with a letter
 - Do not contain 2 consecutive _'s
 - Do not end with _
- Exemplars and counter-exemplars:
 - EOF, 4Temp, Test_Case3, _class,
a4_Sap_X, S__T_2
- Write the corresponding RE

Your Turn (Solution)


- (Language consisting of) strings that:
 - Contain only letters, numbers, and _
 - Start with a letter
 - Do not contain 2 consecutive _'s
 - Do not end with _
- Exemplars and counter-exemplars:
 - EOF, 4Temp, Test_Case3, _class,
a4_Sap_X, S__T_2
- Write the corresponding RE
 $[a-zA-Z] (_ [a-zA-Z0-9] | [a-zA-Z0-9]) ^*$

Finite State Automata (FSA)

- An FSA is an *accepting machine*
 - Finite set of states
 - Transition function (relation) between states based on next character in string
 - DFA vs NFA
 - Start state (s_0)
 - Set of accepting states
- An FSA *accepts* a string if you can start in s_0 and end up in an accepting state, consuming 1 character per step


Example

- What language is defined by this FSA?



Example

- What language is defined by this FSA?
- A. Binary strings (0's and 1's) with an even number of 0's




Your Turn

- (Language consisting of) strings that:
 - Contain only letters, numbers, and `_`
 - Start with a letter
 - Do not contain 2 consecutive `_`'s
 - Do not end with `_`
- Exemplars and counter-exemplars:
 - `EOF`, `4Temp`, `Test_Case3`, `_class`,
`a4_Sap_X`, `S__T_2`
- Write the corresponding *FSA*

Solution

Solution (Solution)



Fundamental Results

- Expressive power of RE is the same as FSA
- Expressive power of RE is limited
 - Write a RE for “strings of balanced parens”
 - $() (() ()), () (), (((()))) , \dots$
 - $(((, ()) () , \dots$
 - Can not be done! (impossibility result)
- Take CSE 3321...

REs in Practice

- REs often used to find a “match”
 - A substring *s* *within a longer string* such that *s* is in the language defined by the RE
(CSE|cse) ?3901
- Possible uses:
 - Report matching substrings and locations
 - Replace match with something else
- Practical aspects of using REs this way
 - Anchors
 - Greedy vs lazy matching

Anchors

- Used to specify where matching string should be with respect to a line of text
- Newlines are natural breaking points
 - ^ anchors to the *beginning* of a line
 - \$ anchors to the *end* of a line
 - Ruby: \A \z for beginning/end of *string*
- Examples
 - ^Hello World\$
 - \A[Tt]he
 - ^[^\d] . \. jpe?g
 - end\ . \z

Greedy vs Lazy

- Repetition (+ and *) means multiple matches might begin at same place

- Example: `<.*>`

- `<h1>Title</h1>`

- `<h1>Title</h1>`

- The match selected depends on whether the repetition matching is
 - *greedy*, ie matches as much as possible
 - *lazy*, ie matches as little as possible
- Default is typically greedy
- For lazy matching, use `*?` or `+?`

Regular Expressions in Ruby

- Instance of a class (Regexp)
`pattern = Regexp.new('^Rub.')`
- But literal notation is common: */pattern/*
/[aeiou]/*
`%r{hello+}` # no need to escape /
- Options post-pended: */pattern/options*
 - `i` ignore case
 - `x` ignore whitespace, comments (“free spacing”)
- Match operator `=~` (negated as `!~`)
 - Operands: String and Regexp (in either order)
 - Returns index of *first* match (or nil if not present)`'hello world' =~ /o/ #=> 4`
`/or/ =~ 'hello' #=> nil`
- Case equality, `Regexp === String`, \rightarrow Boolean

Strings and Regular Expressions

- Find all matches as an array

```
s.scan /[[[:alpha:]]/
```

- Delimiter for splitting string into array

```
s.split /[aeiou]/
```

- Substitution: sub and gsub (+/- !)

- Replace first match vs all ("globally")

```
s = 'the quick brown fox'
```

```
s.sub /[aeiou]/, '@'
```

```
    #=> "th@ quick brown fox"
```

```
s.gsub /[aeiou]/, '@'
```

```
    #=> "th@ q@@ck br@wn f@x"
```

Your Turn: REs in Ruby

- Check if phone number in valid format

```
phone = '614-292-2900' # bad
```

```
phone = '(614) 292-2900' # good
```

```
format = ? # replace ? with a RE
```

```
if phone ? format # replace ? with op  
# phone is well-formatted string
```

...

Summary

- Language: A set of strings
- RE: Defines a language
 - Recipe for making elements of language
- Literals
 - Distinguish characters and metacharacters
- Character classes
 - Represent 1 character in RE
- Repetition
- FSA
 - Expressive power same as RE